Vol. 50, Nos. 1–3 JOURNAL OF CONTROLLED RELEASE 2 JANUARY 1998

CONTENTS

Abstracted/indexed in: Biosciences Information Service; Chemical Abstracts; Current Contents: Life Sciences; Excerpta Medica; International Pharmaceutical Abstracts; Polymer Contents; Current Awareness in Biological Sciences (CABS); CABS Abstracts

Thermal control of drug release by a responsive ion track membrane observed by radio tracer flow dialysis
R. Spohr, N. Reber, A. Wolf (Darmstadt, Germany), G.M. Alder, V. Ang, C.L. Bashford, C.A. Pasternak (London, UK), H. Omichi and M. Yoshida (Gunma-Ken, Japan), 1

Massage-induced release of subcutaneously injected liposome-encapsulated drugs to the blood
V.S. Trubetskoy, K.R. Whiteman, V.P. Torchilin and G.L. Wolf (Charlestown, USA) 13

Body distribution of azidothymidine bound to hexyl-cyanoacrylate nanoparticles after i.v. injection to rats
R. Löbenberg, L. Araujo, H. von Briesen (Frankfurt, Germany), E. Rodgers (Belfast, UK) and J. Kreuter (Frankfurt, Germany) 21

Influence of experimental parameters on the characteristics of poly(lactic acid) nanoparticles prepared by a double emulsion method
M.F. Zambaux, F. Bonneaux, R. Gref, P. Maincent, E. Dellacherie (Nancy, France), M.J. Alonso (Santiago de Compostella, Spain), P. Labrude and C. Vigneron (Nancy, France), 31

Acylated non-α-amino acids as novel agents for the oral delivery of heparin sodium, USP
A. Leone-Bay, D.R. Paton, B. Variano, H. Leipold, T. Rivera, J. Miura-Fraboni, R.A. Baughman and N. Santiago (New York, USA) 41

Entropy-driven binding/partition of amino acids/dipeptides to stratum corneum lipid vesicles
R.-Y. Lin, W.-Y. Chen and C.-W. Liao (Chung Li, Taiwan, People's Republic of China) 51

Transdermal delivery of cyclosporin-A using electroporation
S. Wang, M. Kara and T.R. Krishnan (St. John's, Canada) 61

Role of monensin PLGA polymer nanoparticles and liposomes as potentiator of ricin A immunotoxins in vitro
A.J. Ferdous, N.Y. Stembridge and M. Singh (Tallahassee, FL, USA) 71

Characterization of physical entrapment and chemical conjugation of adriamycin in polymeric micelles and their design for in vivo delivery to a solid tumor
M. Yokoyama (Tokyo, Japan), S. Fukushima, R. Uehara, K. Okamoto (Gunma, Japan), K. Kataoka (Chiba, Japan), Y. Sakurai and T. Okano (Tokyo and Chiba, Japan) 79

Antigen-releasing polymer rings and microspheres stimulate mucosal immunity in the vagina
T.L. Wyatt, K.J. Whaley, R.A. Cone and W.M. Saltzman (Baltimore, MD, USA) 93

Effect of fractal dimension on drug permeation through porous ethylcellulose films
S. Yamane, K. Takayama and T. Nagai (Tokyo, Japan) 103

Importance of dissolution process on systemic availability of drugs delivered by colon delivery system
T. Takaya, K. Niwa, M. Muraoka, I. Ogita, N. Nagai, R.-i. Yano, G. Kimura, Y. Yoshikawa (Kyoto, Japan), H. Yoshikawa (Toyama, Japan) and K. Takada (Kyoto, Japan) 111

Tumor accumulation of poly(vinyl alcohol) of different sizes after intravenous injection
Y. Tabata, Y. Murakami and Y. Ikada (Kyoto, Japan) 123

Stable lipiodolized emulsions for hepatoma targeting and treatment by transcatheter arterial chemoembolization
S.W. Yi, Y.-H. Kim, I.C. Kwon, J.W. Chung, J.H. Park, Y.W. Choi and S.Y. Jeong (Seoul, Korea) 135

(Continued on page 325)

The table of contents of *Journal of Controlled Release* is included in ESTOC – Elsevier Science Tables of Contents service – which can be assessed on the World Wide Web at the following URL addresses:
http://www.elsevier.n./locate/estoc or http://www.elsevier.com/locate/estoc

0168-3659(19980102)50:1:3;1-3

05054

Contents continued

Biologically active polymers: synthesis and antimicrobial activity of modified glycidyl methacrylate polymers having a quaternary ammonium and phosphonium groups
E.-R. Kenawy, F.I. Abdel-Hay, A.E.-R.R. El-Shanshoury and M.H. El-Newehy (Tanta, Egypt) 145
Transport of drugs across porous ion exchange membranes
S. Åkerman (Kuopio, Finland), P. Viinikka (Helsinki, Finland), B. Svarfvar (Åbo, Finland), K. Järvinen (Kuopio, Finland), K. Kontturi (Helsinki, Finland), J. Näsman (Åbo, Finland), A. Urtti and P. Paronen (Kuopio, Finland) 153
A rheological examination of the mucoadhesive/mucus interaction: the effect of mucoadhesive type and concentration
F. Madsen, K. Eberth (Copenhagen, Denmark) and J.D. Smart (Portsmouth, UK) 167
In vitro cytotoxicity and teratogenicity of norethisterone and levonorgestrel released from hollow nylon monofilaments
S.N. Ostad (Brighton, UK), J.S. Malhi (Liverpool, UK) and P.R. Gard (Brighton, UK) 179
Application of asymmetric TPX membranes to transdermal delivery of nitroglycerin
D.-M. Wang, F.-C. Lin, L.-Y. Chen and J.-Y. Lai (Chung Li, Taiwan, People's Republic of China) 187
Insulin bound to chiral polymer with *N*-acetyl-D-glucosaminyl units. Lack of mitogenic activity on rat aorta smooth muscle cell proliferation
V. Chytry (Prague, Czech Republic), D. Letourneur (Villetaneuse, France), A. Vrana and J. Jozefonvicz (Prague, Czech Republic) 197
Thermoresponsive release from poly(Glu(OMe))-*block*-poly(Sar) microcapsules with surface-grafting of poly(*N*-isopropylacrylamide)
T. Kidchob, S. Kimura and Y. Imanishi (Kyoto, Japan) 205
Mucoadhesive polymers as platforms for peroral peptide delivery and absorption: synthesis and evaluation of different chitosan–EDTA conjugates
A. Bernkop-Schnürch and M.E. Krajicek (Vienna, Austria) 215
Transdermal delivery of fentanyl: rapid onset of analgesia using skin electroporation
R. Vanbever, G. Langers, S. Montmayeur and V. Préat (Brussels, Belgium) 225
The distribution of protein associated with poly(DL-lactide co-glycolide) microparticles and its degradation in simulated body fluids
H. Takahata (Osaka, Japan), E.C. Lavelle, A.G.A. Coombes and S.S. Davis (Nottingham, UK) 237
Development of metoprolol tartrate extended-release matrix tablet formulations for regulatory policy consideration
R.V. Nellore (Palo Alto, CA, USA), G.S. Rekhi (Baltimore, MD, USA), A.S. Hussain (Rockville, MD, USA), L.G. Tillman (Carlsbad, CA, USA) and L.L. Augsburger (Baltimore, MD, USA) 247
Controlled release of sugar and toxicant from a novel device for controlling pest insects
X.P. Hu (Amherst, MA, USA), B.S. Shasha, M.R. McGuire (Peoria, IL, USA) and R.J. Prokopy (Amherst, MA, USA) 257
Transdermal delivery of regular insulin to chronic diabetic rats: effect of skin preparation and electrical enhancement
C.A. Zakzewski, J. Wasilewski, P. Cawley and W. Ford (Scranton, PA, USA) 267
Swelling kinetics of poly(*N*-isopropylacrylamide) gel
M. Andersson, A. Axelsson and G. Zacchi (Lund, Sweden) 273
Transdermal iontophoresis: modulation of electroosmosis by polypeptides
J. Hirvonen and R.H. Guy (San Francisco, CA, USA) 283
In vitro acyclovir distribution in human skin layers after transdermal iontophoresis
N.M. Volpato, S. Nicoli, C. Laureri, P. Colombo and P. Santi (Parma, Italy) 291
Transdermal delivery from eutectic systems: enhanced permeation of a model drug, ibuprofen
P.W. Stott, A.C. Williams and B.W. Barry (Bradford, UK) 297
Pharmacokinetic analysis of hepatic uptake of galactosylated bovine serum albumin in a perfused rat liver
K.-i. Ogawara, M. Nishikawa, Y. Takakura and M. Hashida (Kyoto, Japan) 309

Author Index Volume 50 319
Subject Index Volume 50 323